
PALMERA FURNITURE




# FOREST CCS Corded System

Heavy duty corded curtain track systems with seperate internal cord channels; preventing cord sag and eliminating cord tangle.

THE WORLD BEHIND YOUR CURTAINS



# FOREST CCS® corded




## PRODUCT INFORMATION

• Heavy duty cord operated system, with separate internal cord channels; preventing cord sag and eliminating cord tangle.
• Quick installation with “Smart Klick”. brackets for wall and ceiling applications.
• Bendable; it can be curved and reversed curved with a 20 cm (8”) radius or continuous curve.
• Heavy duty klickable carriers - 10 carriers on a breakaway strip - UV protected.
• Can also be used for Forest Easyfold and accordiafold drapery systems.
• Maximum fabric weight: 8 kg. per mtr (5,3 LBS per ft). Overall max weight, 50 kg.
• Colours available: white, grey & black.
• Track finish: chromated powder coating with a factory applied patented dry lubricant.
• Lengths available: 3.66 m (12’), 4.27 m (14’), 4.88 m (16’), 6.10 m (20’).
• Same brackets as used with Klick System.
• Warranty: 10 years.

## PROFILE

• Shown actual size 1:1
• Aluminium Extrusion
• Weight: 300 gram per mtr (3.22 ounce per ft) • Dimensions: 20 mm x 20 mm (3/4” x 3/4”)






Easy installation
click - position - tighten





Clickable carrier




1 Carrier
2 CCS/FMS Master Carrier Underlap
3 Traverse cord
4 CCS/FMS Master Carrier Overlap
5 CCS Cord connector
6 CCS Track
7 Pulley



## APPLICATIONS



## BENDING / CURVING

The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving can be done with the electric powered bender or by special order from factory.






## FOR USE IN

Hotels - motels - offices - healthcare - schools - residential or any location where a heavy duty cord traverse system is required.

## MOUNTING BRACKETS


**SK Ceiling Bracket**




**SK Aluminium Wall Bracket single**


A) 7,5 cm (3") B) 6,3 cm (2,5")
A) 10 cm (4") B) 8,8 cm (3,5")




**Smart Klick Cover Cap for Aluminium Wall bracket**


**SK Wall bracket aluminium double**

A) 15 cm (6") B) 9,2 cm (3,6") C) 4,5 cm (1,8") B)
A) 20 cm (8") 9,2 cm (3,6") C) 9,5 cm (3,7")












**SK Wall bracket aluminium triple**










25 cm (10")













Brackets need to placed every 50 - 60 cm (20"), depending on fabric weight.




| CKS corded | CCS corded | | | CKS TRACK+ PARTS | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| • | | | |  | CKS TRACK<br>4 mtr.<br>5 mtr.<br>5 mtr.<br>5 mtr.<br>6 mtr. | 20/bundle | <br>white<br>white<br>grey<br>black<br>white | <br>1501001400<br>1501001500<br>1501003500<br>1501006500<br>1501001600 |
| • | | | |  | CARRIER ASYMMETRICAL<br>“Klickable”, offset, constructed of UV re-sistant plastic. 10 Carriers on a break-away strip. Can be clicked in after installation. Also symmetrical carriers available. | 500/box | white<br>grey<br>black | 1010001000<br>1010003000<br>1010006000 |
| • | | | |  | CKS MASTER CARRIER UNDERLAP R/L<br>Will go through curves. | 25/box | white<br>grey<br>black | 1515601000<br>1515603000<br>1515606000 |
| • | | | |  | CKS MASTER CARRIER OVERLAP R/L<br>Will go through curves. | 25/box | white<br>grey<br>black | 1515701000<br>1515703000<br>1515706000 |
| • | | | |  | CKS PULLEY<br>Reversible, for two way draw. | 25/box | white<br>grey<br>black | 1530101000<br>1530103000<br>1530106000 |
| • | | | |  | CKS END PULLEY SHORT<br>Especially for one-way closing of the curtain. | 25/box | white<br>grey<br>black | 1530101011<br>1530103011<br>1530106011 |
| • | | | |  | CKS TRACK JOINER | 10/box | white<br>grey<br>black | 1018401010<br>1018403010<br>1018406010 |
| • | | | |  | CKS CORD CONNECTOR<br>Connects cord to the CKS Master Carrier.<br>CKS CORD Connector Half Connects cord to the CKS Master Carrier. | 100/box<br><br>100/box | white<br>black<br>white | 1530301000<br>1530306000<br>1530311000 |
| • | • | | |  | TRAVERSE CORD<br>Polyester drapery cord designed for smooth slide, Ø 3.5 mm (0,14”),16 ply.<br>Suitable for CKS / CCS / CRS / DS-XL Corded | 250 mtr/roll | white<br>grey<br>black | 1030401000<br>1030403000<br>1030406000 |


| CKS corded | CCS corded | | | CCS TRACK+ PARTS | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| | • | | |  | CCS TRACK<br>3.66 mtr.<br>4.27 mtr.<br>4.88 mtr.<br>6.10 mtr.<br>6.10 mtr.<br>6.10 mtr. | 10/bundle | <br>white<br>white<br>white<br>white<br>grey<br>black | <br>3001001366<br>3001001427<br>3001001488<br>3001001610<br>3001003610<br>3001006610 |
| | • | | |  | CCS CARRIER SMALL<br>Contract click carrier patented, clickable. UV-resistant POM plastic. | 250/box | white | 5210101000 |
| | • | | |  | FMS/CCS/MRS WHEEL CARRIER<br>The wheel carrier goes smoothly over a splice. | 100/box | white | 5210101002 |
| | • | | |  | CCS CORD MASTER CARRIER R/L UNDERLAP<br>Multifunctional - reversible arm - will go through curves. | 15/box | white<br>grey<br>gold<br>black | 3015601000<br>3015603000<br>3015602000<br>3015606000 |











| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | • | | |  | CCS CORD MASTER CARRIER R/L OVERLAP Multifunctional - reversible arm - will go through curves, will also fit stiffeners and cord connector. | 15/box | white<br>grey<br>gold<br>black | 3015701000<br>3015703000<br>3015702000 |
| | • | | |  | EASYFLEX MASTER CARRIER 90 DEGREE LEFT<br>for center draw | 15/box | white<br>black | 3015706000<br>4815351090 |
| | • | | |  | EASYFLEX MASTER CARRIER 90 DEGREE RIGHT<br>for center draw | 15/box | whit<br>e<br>black | 4815451090<br>4815356090<br>4815436090 |
| | • | | |  | PROLONGED ARM FOR MASTER CARRIER<br>150 mm long<br>150 mm long<br>150 mm long<br>150 mm long Click On<br>150 mm long Click On<br>200 mm long Click On | 15/box | <br>white<br>grey<br>black<br>white<br>black<br>white | 3016001000<br>3016003000<br>3016006000<br>9500001010 |
| • | | | |  | CCS PULLEY<br>Voor middensluitend pakket | 25/box | white<br>grey<br>black | 0<br>9500006010<br>9500001020 |
| • | | | |  | INSIDE WALL BRACKET<br>For additional support anywhere the pulley meets the wall. | 25/box | | 3022301000<br>3030101000<br>3032010000<br>3030106000<br>3032030000<br>3032060000 |
| • | | | |  | END PULLEY SMALL<br>Reversible, for non-stacking side on one way draw. | 25/box | white<br>grey<br>black | 3030201000<br>3030206000 |
| • | | | |  | CCS RAIL CONNECTOR | 10/box | white<br>grey<br>black | 2518401000<br>2518403000<br>2518406000 |
| | • | | |  | CCS CORD CONNECTOR<br>Connects cord to the CCS master carrier. | 100/box | white<br>grey<br>black | 3030301000<br>3030303000<br>3030306000 |
| | • | | |  | CCS DOUBLE CORD CONNECTOR<br>Connects cord to the CCS master carrier. | 20/box | white<br>grey<br>black | 3030301010<br>3030303010<br>3030306010 |
| • | • | | |  | TRAVERSE CORD<br>Polyester drapery cord designed for strong smooth slide, Ø 3.5 mm (0,14"),16 ply.<br>Suitable for CKS/CCS/CRS/DS-XL Corded<br>DS-XL Corded | 250 mtr/roll | white<br>grey<br>black | 1030401000<br>1030403000<br>1030406000 |











| CKS corded | CCS corded | | | | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| | | | |  | CRS CHANNEL ROD CORDED Ø 28 mm (1.1") Extruded aluminium, chromated, powder coated incl. inlay strip | 5.80 mtr/tube | white<br>gold-an<br>inox-an<br>inox-pc<br>antique-pc<br>anthracite-pc<br>chrome | 5811281580-PC<br>5811282580<br>5811283580<br>5811283580-PC<br>5811289580-PC<br>5811286580-PC<br>5701287520 |
| | | | |  | CRS CARRIER ROUND | 500/box | white<br>grey<br>black | 5810101000<br>5810103000<br>5810106000 |
| | | | |  | EASYFOLD PLASTIC MASTER UNDERLAP | 25/box | white<br>grey<br>black<br>transparent | 4815201010<br>4815203010<br>4815206010 |
| | | | |  | FMS MASTER CARRIER UNDERLAP<br>Multifunctional - arm is reversible for Click on stiffner | 15/box | white<br>grey<br>black | 4815201000<br>5215801010 |
| | | | |  | FMS MASTER CARRIER OVERLAP<br>Multifunctional – arm is reversible for Click on stiffner | 15/box | white<br>grey<br>black | 5215901010<br>5215903010<br>5215806010<br>5215906010 |











| CKS corded | CCS corded | | | | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| | | | |  | EASYFOLD PLASTIC MASTER STRAIGHT/ OVERLAP | 25/box | white<br>grey<br>black<br>transparent | 4815101010<br>4815103010<br>4815106010<br>4815101000 |
| | | | |  | CRS CORDED END PULLEY COMPLETE | 2/box | white<br>gold<br>inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc | 6130201001-PC<br>6130202001<br>6130203001<br>6130203001-PC<br>6130209001-PC<br>6130204001-PC<br>6130206001-PC |
| • | | | |  | CRS CORDED CENTRE PULLEY COMPLETE | 2/box | white<br>inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc | 6130251001-PC<br>6130253001<br>6130253001-PC<br>6130259001-PC<br>6130254001-PC<br>6130256001-PC |
| • | | | |  | CRS RAIL CONNECTOR (6 CM) | 10/box | | 5815200006 |
| • | | | |  | CRS CORNER CONNECTOR (5 CM) | 10/box | | 5815200007 |
| | • | | |  | CCS CORD CONNECTOR | 100/box | white<br>grey<br>black | 3030301000<br>3030303000<br>3030306000 |
| | • | | |  | CCS DOUBLE CORD CONNECTOR | 100/box | white<br>grey<br>black | 3030301010<br>3030303010<br>3030306010 |
| • | • | | |  | TRAVERSE CORD<br>Polyester drapery cord designed for smooth slide, Ø 3.5 mm (0,14"),16 ply.<br>Suitable for CKS / CCS / CRS / DS-XL Corded | 250 mtr/roll | white<br>grey<br>black | 1030401000<br>1030403000<br>1030406000 |
| • | | | |  | CRS METAL ENDSTOP WITH SCREW<br>for 20 mm (0,8")<br>for 28 mm (1.1") | 100/box | | 5816101000<br>5816101001 |
| • | | | |  | CRS METAL ENDSTOP WITH SCREW-EYE<br>for 20 mm (0,8")<br>for 28 mm (1.1") Long, with ball bearings | 100/box | | 5816102000<br>5816102001 |







| CKS corded | CCS corded | | | | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| | | | |  | DS-XL RAIL, 6 mtr (19"8") | 24 mtr/bundle | white<br>grey<br>anthracite | 3916101600<br>3916103600<br>3916106600 |
| | | | |  | ECONOMY CARRIER SMALL | 500/box | whit<br>e<br>black | 3910101000<br>3910106000 |
| | | | |  | EASYFLEX PLASTIC MASTER CARRIER 90 DEGREE | 15/box | white<br>grey<br>black | 3916701000<br>3916703000<br>3916706000 |
| | | | |  | DS-XL ENDCAP CORDED | 20/box | white<br>grey<br>black | 3916201000<br>3916205000<br>3916206000 |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | • |  | DS-XL TRACK CONNECTOR STRAIGHT | 10/box | 3916401000 |
| | | | • |  | DS-XL CORD CONNECTOR | 100/box | white<br>black | 1530301000<br>1530306000 |
| • | • | • | • |  | TRAVERSE CORD<br>Polyester drapery cord designed for smooth slide, Ø 3.5 mm (0,14"),16 ply.<br>Suitable for CKS / CCS / CRS /<br>DS-XL Corded | 250 mtr/roll | white<br>grey<br>black | 1030401000<br>1030403000<br>1030406000 |
| | | | • |  | ~~DS-XL END STOP~~ | 100/box | | 3916001000 |

| CKS corded | CCS corded | | | MOUNTING | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| • | • | | |  | CEILING BRACKET<br>Slides onto the track, powder coated. Regular duty | 100/box | white<br>grey<br>black<br>beige | 1018001000<br>1018003000<br>1018006000<br>1018012000 |
| • | • | | |  | CEILING BRACKET WITH SLOT<br>Slides onto the track, powder coated.<br>Regular duty<br>Slotted support makes fixing curtain track easier. | 100/box | white<br>grey<br>black<br>creme<br>beige | 1018101000<br>1018103000<br>1018106000<br>1018111000<br>1018112000 |
| • | | | |  | SMART KLICK CEILING BRACKET<br>Powder coated, "klicks" onto track.<br>Attach with VK-4 mm screw. | 100/box | white<br>grey<br>black | 1018201000<br>1018203000<br>1018206000 |
| • | | | |  | SMART KLICK CEILING BRACKET INCL.COVER CAP | 100/box | white<br>grey<br>black | 1018201001<br>1018203001<br>1018206001 |
| • | | | |  | COVER CAP FOR SMART KLICK BRACKETS<br>Suitable for Smart Klick Wall-and Ceiling bracket. | 100/box | white<br>grey<br>black<br>anthracite | 1019201000<br>1019203000<br>1019206000<br>1019206600 |
| • | | | |  | FALSE CEILING BRACKET (METAL)<br>For installation on to a suspended ceiling. The track can be fixed in any angle. | 25/box | | 4519001000 |
| • | • | | |  | SMART KLICK DOUBLE CEILING BRACKET LARGE<br>Distance between two tracks: 90 mm (3,5")<br>SMART KLICK DOUBLE CEILING BRACKET SHORT Distance between two tracks: 45 mm (1,8") | 30/box | white | 1018601000<br>1018611000 |
| • | | | |  | FSS MOUNTING BRACKET<br>For concealed installation or ceiling installation in narrow spaces.<br>Heavy Duty. | 100/box | | 7160001000 |
| • | | | |  | ~~KS CEILING SPLICE BRACKET~~<br>For ceiling installation only, powder coated. | 50/box | white<br>grey<br>black | 1018501000<br>1018503000<br>1018506000 |
| | | | |  | KS KLICK-ON CEILING BRACKET WHITE<br>For concealed installation without visible brackets, light weight use only. | 100/box | white<br>grey<br>black | 1018301000<br>1018303000<br>1018306000 |

| CKS corded | CCS corded | | | MOUNTING | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| • | • | | |  | SMART KLICK WALL BRACKET 3,5 cm “Klicks onto track, powder coated. One screw attachment. For light weight use only. | 50/box | white<br>grey<br>black | 1020201035<br>1020203035<br>1020206035 |
| | | | | | SMART KLICK WALL BRACKET 6 cm “Klicks onto track, powder coated. One screw attachment. For light weight use only. | | white<br>grey<br>black | 1020201060<br>1020203060<br>1020206060 |
| | | | | | SMART KLICK WALL BRACKET 7,5 cm “Klicks onto track, powder coated. One screw attachment. For light weight use only. | | white<br>grey<br>black | 1020201075<br>1020203075<br>1020206075 |
| • | • | | |  | KS SMART KLICK WALL BRACKET 10 cm<br>KS SMART KLICK WALL BRACKET 12,5 cm<br>KS SMART KLICK WALL BRACKET 15 cm<br>KS SMART KLICK WALL BRACKET 20 cm<br>KS SMART KLICK WALL BRACKET 25 cm<br>KS SMART KLICK WALL BRACKET 30 cm | 20/box<br>20/box<br>15/box<br>15/box | white<br>grey<br>white<br>grey<br>white<br>grey<br>white<br>grey<br>white<br>grey<br>10 cm | 1020201100<br>1020203100<br>1020201125<br>1020203125<br>1020201150<br>1020203150<br>1020201200<br>1020203200<br>1020201250<br>1020203250<br>1020201300<br>1020203300<br>1020601100 |
| • | | | |  | KS SMART KLICK WALL BRACKET DOUBLE<br>For light weight use only. | 15/box<br>10/box | 15 cm<br>20 cm | 1020601150<br>1020601200 |
| • | | | |  | KS ADJUSTABLE WALL BRACKET, SINGLE | 100/box | white<br>grey | 1020801115<br>1020803115 |
| • | | | |  | KS ADJUSTABLE WALL BRACKET, DOUBLE | 50/box | white<br>grey | 1020801195<br>1020803195 |
| • | | | |  | ALUMINIUM SK WALL BRACKET 7,5 CM SINGLE. “Klicks onto track, powder coated. | 20/box | white<br>grey<br>black | 1020301075<br>1020303075<br>1020306075 |
| • | | | | | ALUMINIUM SK AFSTANDSTEUN 10 cm ENKEL. “Klicks onto track, powder coated. | 20/box | white<br>grey<br>black | 1020301100<br>1020303100<br>1020306100 |
| • | • | | | | ALUMINIUM SK AFSTANDSTEUN 15 cm DUBBEL. “Klicks onto track, powder coated. | 15/box | white<br>grey<br>black | 1020301150<br>1020303150<br>1020306150 |
| | | | | | KS ALUMINIUM SK AFSTANDSTEUN 20 cm DUBBEL. “Klicks onto track, powder coated. | 15/box | white<br>grey<br>black | 1020301200<br>1020303200<br>1020306200 |
| | | | | | ALUMINIUM SK AFSTANDSTEUN 25 cm TRIPLE. “Klicks onto track, powder coated. | 10/box | white<br>grey<br>black | 1020301250<br>1020303250<br>1020305250 |
| • | • | | |  | SMART KLICK COVER CAP ALUMINIUM BRACKET UNIVERSAL | 50/box | white<br>grey<br>black | 1021301000<br>1021303000<br>1021306000 |
| | | | |  | CRS CEILING BRACKET Ø 20/28 MM with slot | 100/box | aluminium | 5818003000 |
| | | | |  | CRS CEILING BRACKET Ø 20/28 MM with hole | 100/box | white<br>inox | 5818003101<br>5818003103 |
| | | | |  | MRS CEILING BRACKET SMALL, 1,5 CM | 4/box | chrome | 5718407050 |

| CKS corded | CCS corded | | | MOUNTING | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| | | | |  | CRS SWIVEL FOR 28 MM ROD | 100/box | | 5863001000 |
| | | | |  | CRS CEILING SUSPENSION BRACKET 4 CM (1.57") Ø 20/28 MM | 2/box | white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome | 5818112000<br>5818122000<br>5818132000<br>5818132000-PC<br>5818162000-PC<br>5818192000-PC<br>5818152000-PC<br>5818012028 |
| | | | |  | CRS CEILING SUSPENSION BRACKET 5 CM (1.96") Ø 20/28 MM | 2/box | white<br>gold<br>inox-an<br>inox-pc<br>antique-pc | 5818112028<br>5818122028<br>5818132028<br>5818132028-PC<br>5818192028-PC |
| | | | |  | CRS WALL BRACKET SINGLE 8 CM (3.15") Ø 28 MM | 2/box | white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820080128<br>5820080228<br>5820080328<br>5820080328-PC<br>5820080628-PC<br>5820080928-PC<br>5820080428-PC<br>5820080528-PC<br>5820080728 |
| | | | |  | CRS WALL BRACKET SINGLE 12 CM (4.72") Ø 28 MM | 2/box | white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820120128<br>5820120228<br>5820120328<br>5820120328-PC<br>5820120628-PC<br>5820120928-PC<br>5820120428-PC<br>5820120528-PC<br>5820120728 |
| | | | |  | CRS WALL BRACKET SINGLE 16 CM (6.29") Ø 28 MM | 2/box | white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc | 5820160128<br>5820160228<br>5820160328<br>5820160328-PC<br>5820160628-PC<br>5820160928-PC<br>5820160428-PC<br>5820160528-PC |
| | | | |  | CRS WALL BRACKET DOUBLE 16 CM (6.29") Ø 28 MM | 2/box | white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc | 5822160128<br>5822160228<br>5822160328<br>5822160328-PC<br>5822160628-PC<br>5822160928-PC<br>5822160428-PC<br>5822160528-PC |
| | | | |  | CRS WALL BRACKET EXTENSION 4 CM | 10/box | white<br>gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome | 5815201030<br>5815202030<br>5815203030<br>5815203030-PC<br>5815206030-PC<br>5815209030-PC<br>5815205030-PC<br>5715107040 |
| | | | |  | CRS WALL BRACKET EXTENSION 8 CM | | gold<br>inox-an<br>inox-pc<br>black<br>antique-pc<br>chrome | 5815102020<br>5815103020<br>5815103020-PC<br>5815106020-PC<br>5815109020-PC<br>5715107080 |
| | | | |  | CRS ADJUSTABLE BRACKET EXTENSION | 10/box | white<br>inox-an<br>inox-pc<br>black<br>antique-pc | 5815101070<br>5815103070<br>5815103070-PC<br>5815106070-PC<br>5815109070-PC |
| | | | |  | DS-XL KLICK CEILING BRACKET | 100/box | | 3918301000 |
| | | | |  | DS-XL CEILING SWIVEL BRACKET | 100/box | white<br>anthracite | 3818200230<br>3818205230 |
| | | | |  | DS-XL WALL BRACKET 9 CM | 5/box | white<br>anthracite | 3820001018<br>3820005018 |

| CKS corded | CCS corded | | | BUIGONDERDELEN EN OVERIGE ITEMS | ARTICLE | PACKING UNIT | | ART.NR |
|---|---|---|---|---|---|---|---|---|
| • | • | | |  | TENSION PULLEY White | 25/box | | 1030501000 |
| • | • | | |  | ASSEMBLY TOOL FOR CORD CONNECTOR | 1/each | | 9510000027 |
| • | • | | |  | CORD/CHAIN WALL MOUNT SAFETY BOX SINGLE | 25/box | | 3645702000 |
| • | • | | |  | CORD/CHAIN WEIGHT DESIGN 110 GR WIT | 10/box | white<br>grey<br>black | 3030701000<br>3030703000<br>3030706000 |
| • | • | | |  | CHANNEL ROD LUBRICANT SPRAY<br>To lubricate components during assembly. | 1/each | | 5109020000 |
| • | | | |  | COMPACT BENDING HOUSE, FOR KS/CKS<br>CKS BENDING WHEEL ALL-IN incl. strips (60cm) | 1/box | | 1050000000<br>1051000000 |
| • | • | | |  | CONTINUOUS CURVER<br>Add on tool for the Compact Bending Tool. Designed to create continuous curves and arches in any radius. Includes KS bending strip. For KS and CKS Track only. | 1/box | | 1060200000 |
| • | | | |  | ELECTRIC POWERED BENDER<br>For creating continuous curves. Minimum radius 50 cm. | 1/box | 230V<br>110V | 1060500000<br>1060500001 |
| | | | |  | CKS REPLACEMENT BENDING STRIP<br>For Compact Bending Tool.<br>Length of strip: 60 cm (23")<br>For Continues Curver / electric bender. Length of strip: 7 mtr. (23") | 1/each | | 1560100000<br>1560300000 |
| • | | | |  | ~~BENDING WHEELS~~<br>For electric powered bender. Complete set of 3 wheels.<br>For KS/CKS track.<br>For CS/CCS track. | 1/set | | 1060700000<br>~~2560700000~~ |
| | • | • | | sample image | ~~ELECTRIC POWERED RAILCUTTER~~<br>230 Volt EU<br>BLADE FOREST CUTTER NEW MODEL | 1/each<br>1/each | | 1061100000 |
| | • | | |  | CONTRACT BENDING TOOL<br>For CS/CCS/FMS/CRS/MTS<br>CS/CCS/FMS Bending Wheel | 1/each<br>1/eac | | 2560200000<br>2561000000 |
| | | • | |  | ~~CCS BENDING STRIPS, COMPLETE SET~~<br>For CCS track, length: 90 cm.<br>FOR CCS ELECTRIC POWERED BENDER. Length 7 meter (23'). | h<br>1/set<br>1/each | | 0<br>8500000008<br>5000000102 |
| | • | | |  | BENDING STANDARD<br>Standard for Contract bending tool 28 mm | 1/each | | 2560800000 |
| | • | | |  | BENDING WHEELS<br>For Electric Powered Bender. Complete set of 3 wheels only for CS en CCS rail. | 1/set | | 2560700000 |